



City Council
COMMITTEE OF THE WHOLE
City of Belvidere, Illinois

Alderman Clayton Stevens	Vice Chairman Public Works
Alderman Tom Porter	Chairman Building, Planning & Zoning
Alderman Daniel Snow	Co-Chairman City-County
Alderman Daniel Arevalo	Vice-Chairman Finance and Personnel
Alderman Wendy Frank	Vice Co-Chairman City-County
Alderman Thomas Ratcliffe	Chairman Finance and Personnel
Alderman Ric Brereton	Chairman Public Safety
Alderman Mike McGee	Vice Chairman Building, Planning & Zoning
Alderman Marsha Freeman	Chairman Public Works
Alderman Matt Fleury	Vice Chairman Public Safety

AGENDA

December 28, 2020
6:00 p.m.
City Council Chambers
401 Whitney Blvd., Belvidere, Illinois

Call to Order – Mayor Mike Chamberlain.

Roll Call:

Public Comment:

Public Forum:

Reports of Officers, Boards, and Special Committees:

1. Finance & Personnel, Unfinished Business: None.
2. Finance & Personnel, New Business:
(A) Budget/Finance Update.

3. Public Safety, Unfinished Business: None.
4. Public Safety, New Business:
 - (A) Fire Department – Update.
 - (B) Police Department – Update.
 - (C) Police Department – Feed the Need Donation.
5. Other:
 - (A) Public Works – Well #4 and Well #5 Rehabilitation.
6. Adjournment:



BELVIDERE
POLICE

Matthew Wallace
Deputy Chief—Investigations

Shane Woody
Chief of Police

Patrick Gardner
Deputy Chief—Patrol

615 N. Main Street - Belvidere, IL 61008 - Phone: 815-544-9626 - Fax: 815-544-9603 - www.ci.belvidere.il.us

TO: MAYOR CHAMBERLAIN AND CITY COUNCIL
FROM: CHIEF SHANE WOODY
DATE: DECEMBER 22, 2020
RE: MOTION TO ACCEPT FEED THE NEED DONATION

Please be advised that the Belvidere Police Department has received an additional donation for the Feed the Need food drive. The check is for \$100.00 from the Women of The Moose Belvidere Chapter #1052.

The donor has earmarked the money for the purchase of food for the Feed the Need food drive.

Motion: To accept the donation totaling \$100.00 of donated money for the Feed the Need Food Drive.

SW/sd

Memo

To: Mayor and City Council
From: Brent Anderson, Director of Public Works
Date: December 21, 2020
Re: Well #4 and Well #5 Rehabilitation

Two of our wells are currently offline.

Well #4 had a positive bacteria result on our monthly raw water sample and the follow up sample. Per our standard operating procedures, a water sample has been sent to Water Systems Engineering for a complete well profile. Bid documents have been prepared for pulling the pump assembly, rehabilitation of the borehole and reinstalling the pumping assembly.

Well #5 started pumping cloudy water with measurable amounts of sediment. This well will need to be televised to determine the full amount of rehabilitation of the borehole. Bid documents have been prepared for pulling of the pump assembly, televising the borehole, rehabilitation of the borehole and reinstalling the pumping assembly.

Bids for both of these wells are due on January 7th with a recommendation presented at the January 11, 2021 Public Works Committee meeting.